

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for VIRIDIFLOROL

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Acinos alpinus</i>	Shoot		14.0	-0.7891677142794669	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinus alpinus</i> (L.) Moench ssp. <i>meridionalis</i> (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
<i>Acinos alpinus</i>	Shoot		14.0	-0.7891677142794669	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinus alpinus</i> (L.) Moench ssp. <i>meridionalis</i> (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
<i>Cistus ladaniferus</i>	Resin, Exudate, Sap				--
<i>Eucalyptus melanophloia</i>	Leaf		110.0	-0.2098170911888348	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus behriana</i>	Leaf		60.0	-0.4413504109938655	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus leucoxylon</i>	Leaf		175.0	0.09117622455770513	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Leaf Essent. Oil				--
<i>Eucalyptus desquamata</i>	Leaf		85.0	-0.3255837510913501	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus tetraptera	Leaf		210.0	0.2532495484212266	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus forrestiana	Leaf		210.0	0.2532495484212266	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus intertexta	Leaf		14.0	-0.6543610652144938	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus sparsa	Leaf		125.0	-0.14035709524732556	--
Eucalyptus ceratocorys	Leaf		26.0	-0.5987930684612863	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus nova-anglica	Leaf	25.0	335.0	0.8320828479338034	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of <i>Eucalyptus nova-anglica</i> . Deane & Maiden. Journal of Essential Oil Res. 4: 29-32.
Eucalyptus lansdowneana	Leaf		160.0	0.02171622861619592	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus fasiculosa	Leaf		3.0	-0.7052983955716005	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus odorata	Leaf		18.0	-0.6358383996300913	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus stoatei	Leaf		250.0	0.4384762042652512	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus erythrandra	Leaf		75.0	-0.37189041505235626	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus cuprea	Leaf		70.0	-0.3950437470328593	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus populnea	Leaf		60.0	-0.4413504109938655	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus bridgesiana	Leaf		60.0	-0.4413504109938655	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of Eucalyptus bridgesiana Growing in India. Journal of Essential Oil Res. 3: 449-450.
Eucalyptus angulosa	Leaf		15.0	-0.6497303988183931	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus ochrophloia	Leaf		6.0	-0.6914063963832986	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus globulus	Leaf				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Eucalyptus viridis	Leaf		13.0	-0.6589917316105943	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus incrassata	Leaf		295.0	0.6468561920897788	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus porosa	Leaf		540.0	1.7813694591344293	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus dolichorhyncha	Leaf		110.0	-0.2098170911888348	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus largisparsa	Leaf		110.0	-0.2098170911888348	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus brassiana	Leaf		25.0	-0.603423734857387	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.
Humulus lupulus	Fruit		16.0		--
Juniperus oxycedrus	Wood				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Laurus nobilis	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Lycopus uniflorus</i>	Plant		2.0		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Melaleuca alternifolia</i>	Essential Oil		5800.0		--
<i>Melaleuca alternifolia</i>	Leaf				--
<i>Melaleuca leucadendra</i>	Plant				--
<i>Mentha spicata</i>	Leaf				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Mentha aquatica</i>	Shoot		140.0	1.109355092388081	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
<i>Mentha aquatica</i>	Shoot		140.0	1.109355092388081	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
<i>Mentha longifolia</i>	Shoot	0.0	85.0	0.28063481963637366	Planta Medica, 57: A83, 1991.
<i>Mentha aquatica</i>	Shoot		195.0	1.938075365139788	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
<i>Mentha aquatica</i>	Leaf	36.0	1105.0	4.397695972931276	--
<i>Mentha x piperita</i>	Leaf	1.0	15.0	-0.6497303988183931	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Mentha aquatica</i>	Shoot		50.0	-0.24673262666016743	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Mentha aquatica</i>	Shoot		135.0	1.0340168857742895	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
<i>Mentha spicata</i>	Essential Oil				--
<i>Metrosideros sclerocarpa</i>	Leaf	56.0	224.0	0.3180788779666352	--
<i>Salvia officinalis</i>	Essential Oil				--
<i>Salvia officinalis</i>	Leaf				--
<i>Tagetes minuta</i>	Flower Essent. Oil		500.0		--
<i>Tagetes lucida</i>	Shoot				Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
<i>Teucrium polium</i>	Shoot		3.5	-0.9473779481684291	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium gnaphalodes</i>	Shoot		4.0	-0.93984412750705	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Thymus funkii</i>	Shoot		8.0	-0.8795735622160167	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus funkii</i>	Shoot		8.0	-0.8795735622160167	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.